

## Literatur zum Beitrag

Peter Nydale, David McWilliams, Christoph Borzikowsky, Fiona Howroyd, Rebecca von Haken

# Kann Frühmobilisierung ein Delir vermeiden? Eine Meta-Analyse

1. Devlin JW, Skrobik Y, Gelinas C et al.: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Crit Care Med 2018; 46: e825–e873
2. DGAI (2021) Analgesie, Sedierung und Delirmanagement in der Intensivmedizin (DAS-Leitlinie). <https://wwwawmforg/leitlinien/detail/ll/001-012html>, 19Oct2021
3. Wilson JE, Mart MF, Cunningham C et al.: Delirium. Nature Reviews Disease Primers 2020; 6: 90
4. Nydale P, McWilliams D, Weiler N et al.: Mobilization in the evening to prevent delirium: A pilot randomized trial. Nurs Crit Care 2021. <https://doi.org/10.1111/nicc.12638>
5. Brummel NE, Girard TD, Ely EW et al.: Feasibility and safety of early combined cognitive and physical therapy for critically ill medical and surgical patients: the Activity and Cognitive Therapy in ICU (ACT-ICU) trial. Intensive Care Med 2014; 40: 370–9
6. Morris PE, Berry MJ, Files DC et al.: Standardized Rehabilitation and Hospital Length of Stay Among Patients With Acute Respiratory Failure: A Randomized Clinical Trial. JAMA 2016; 315(24): 2694–702. doi: 10.1001/jama.2016.7201
7. Al-Qadheeb NS, Balk EM, Fraser GL et al.: Randomized ICU trials do not demonstrate an association between interventions that reduce delirium duration and short-term mortality: a systematic review and meta-analysis. Crit Care Med 2014; 42: 1442–54
8. Greer N, Mosser G, Logan G, Wagstrom Hallas G: A Practical Approach to Evidence Grading. Joint Commission on Accreditation of Healthcare Organizations 2000; 700–12
9. Moon KJ, Lee SM: The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. Int J Nurs Stud 2015; 52: 1423–32
10. Karadas C, Ozdemir L: The effect of range of motion exercises on delirium prevention among patients aged 65 and over in intensive care units. Geriatr Nurs 2013; 37: 180–5
11. Nydale P, Günther U, Diers A et al.: PROtocol-based MObilizaTION on intensive care units: stepped-wedge, cluster-randomized pilot study (Pro-Motion). Nurs Crit Care 2020; 25: 368–375
12. Wu H, Gu T, Chen M et al.: Effect of early off-bed mobility on delirium in mechanical ventilated patients in intensive care unit: a prospective randomized controlled study. Zhonghua Wei Zhong Bing Ji Jiu Yi Xue 2021; 33: 1353–57
13. Rood PJT, Zegers M, Ramnarain D et al.: The Impact of Nursing Delirium Preventive Interventions in the ICU: A Multicenter Cluster-randomized Controlled Clinical Trial. Am J Respir Crit Care Med 2021; 204: 682–91
14. Needham DM, Korupolu R, Zanni JM et al.: Early physical medicine and rehabilitation for patients with acute respiratory failure: a quality improvement project. Arch Phys Med Rehabil 2010; 91: 536–42
15. Jeffs KJ, Berlowitz DJ, Grant S et al.: An enhanced exercise and cognitive programme does not appear to reduce incident delirium in hospitalised patients: a randomised controlled trial. BMJ Open 2013; 3(6): e002569. doi: 10.1136/bmjopen-2013-002569
16. Fraser D, Spiva L, Forman W, Hallen C: Original Research: Implementation of an Early Mobility Program in an ICU. Am J Nurs 2015; 115: 49–58
17. Bounds M, Kram S, Speroni KG et al.: Effect of ABCDE Bundle Implementation on Prevalence of Delirium in Intensive Care Unit Patients. Am J Crit Care 2016; 25: 535–44
18. Martínez F, Donoso AM, Marquez C, Labarca E: Implementing a Multi-component Intervention to Prevent Delirium Among Critically Ill Patients. Crit Care Nurse 2017; 37: 36–46
19. Davis J, Berry K, McIntyre R et al.: A quality improvement project for delirium prevention and management over the Greater Manchester Critical Care Network. J Intensive Care Soc 2021; 22: 120–6
20. Murad MH, Montori VM, Ioannidis JP et al.: How to read a systematic review and meta-analysis and apply the results to patient care: users' guide to the medical literature. Jama 2014; 312: 171–9
21. Avert Trial Collaboration group: Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. Lancet 2015; 386: 46–55
22. Girard TD, Exline MC, Carson SS et al.: Haloperidol and Ziprasidone for Treatment of Delirium in Critical Illness. N Engl J Med 2018; 379: 2506–16
23. Collet MO, Caballero J, Sonneveld R et al.: Prevalence and risk factors related to haloperidol use for delirium in adult intensive care patients: the multinational AID-ICU inception cohort study. . Intensive Care Med 2018; 44(7):1081–9. doi: 10.1007/s00134-018-5204-y.
24. Girard TD, Thompson JL, Pandharipande PP et al.: Clinical phenotypes of delirium during critical illness and severity of subsequent long-term cognitive impairment: a prospective cohort study. Lancet Respir Med 2018; 6: 213–22
25. Smith M, Meyfroidt G: Critical illness: the brain is always in the line of fire. Intensive Care Med 2017; 43: 870–3
26. Bein T, Bischoff M, Bruckner U et al.: S2e guideline: positioning and early mobilisation in prophylaxis or therapy of pulmonary disorders : Revision 2015: S2e guideline of the German Society of Anaesthesiology and Intensive Care Medicine (DGAI). Anaesthetist 2015; 64 Suppl 1: 1–26
27. Moore GF, Audrey S, Barker M et al.: Process evaluation of complex interventions: Medical Research Council guidance. BMJ 2015; 350: h1258
28. Möhler R, Köpke S, Meyer G: Criteria for Reporting the Development and Evaluation of Complex Interventions in healthcare: revised guideline (CReDECI 2). Trials 2015; 16: 204
29. Ogrinc G, Davies L, Goodman D et al.: SQUIRE 2.0 (Standards for Quality Improvement Reporting Excellence): revised publication guidelines from a detailed consensus process. BMJ quality & safety 2016; 25: 986–92
30. Patil P, Peng RD, Leek JT: What Should Researchers Expect When They Replicate Studies? A Statistical View of Replicability in Psychological

- Science. Perspect Psychol Sci 2016; 11: 539–44
31. Shaw RC, Walker G, Elliott E, Quinn TJ: Occurrence Rate of Delirium in Acute Stroke Settings: Systematic Review and Meta-Analysis. Stroke 2019; 50: 3028–36
32. Rood PJ, Zegers M, Rammarnain D et al.: The Impact of Nursing Delirium Preventive Interventions in the Intensive Care Unit: A Multicenter Cluster Randomized Controlled Trial. Am J Respir Crit Care 2021; PMID: 34170798. DOI: 10.1164/rccm.202101–0082OC
33. Nydale P, Günther U, Hansen H-C, Meyne J, Osterbrink J, Margraf NG, (2021) Fallstricke in der Diagnostik des Delirs. Medizinische Klinik – Intensivmedizin und Notfallmedizin 2021. <https://doi.org/10.1007/s00063–021–00846–9>
34. Moher D, Liberati A, Tetzlaff J et al.: Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. PLoS Med 2009; <https://doi.org/10.1371/journal.pmed.1000097>
35. Page MJ, McKenzie JE, Bossuyt PM et al.: The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. Bmj 2021; 372: n71
36. Balas MC, Vasilevskis EE, Olsen KM et al.: Effectiveness and safety of the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle. Crit Care Med 2014; 42: 1024–36